

Ultra Dewatering Bag, Reusable Model

NEW!

Dewatering Bag For Large Jobs or Heavy Sediment Loads

- Use for dewatering operations with large quantities of silt, sediment or dirt.
- Large opening allows easy access and removal of trapped sediment.
- Galvanized steel Locking Rods (Part# 9735) are quickly and easily installed to secure bag opening during dewatering.



Use on truck beds to quickly and easily transport filled Dewatering Bag to site for emptying.

U.S. Patent Pending.



ULTRA-DEWATERING BAG, REUSABLE MODEL	
Part#: 9730	3' x 5' Bag with Locking Rods
Part#: 9732	5' x 7' Bag with Locking Rods
Part#: 9735	Locking Rods only
Part#: 9736	Replacement Bag, 3' x 5'
Part#: 9738	Replacement Bag, 5' x 7'

Ultra Dewatering Bag

Contain Sediment And Oil Pumped Out During Dewatering Operations

- Retains both oil and sediment, offering a combination of benefits not available in alternative dewatering bags.
- Standard and custom sizes available.
- **Helps comply with NPDES, 40 CFR 122.26 (1999).**



ULTRA-DEWATERING BAG	
Part#: 9724-O/S	Oil/Sediment Model, 6' x 6'
Part#: 9725-O/S	Oil/Sediment Model, 10' x 15'
Other stock sizes and custom sizes available.	

Ultra PipeSock



Control The Flow Of Sediment And Oil Out Of Headwall And Other Types Of Pipes

- Use in pond applications where vertical pipes extend above the water surface, and preventing sediment in-flow during high-water events is required.
- Several standard and custom sizes available.
- **Helps comply with NPDES, 40 CFR 122.26 (1999).**



ULTRA-PIPESOCK	
Part#: 9705-O/S	Oil/Sediment Model, for 8" Diameter Pipe
Part#: 9707-O/S	Oil/Sediment Model, for 16" Diameter Pipe
Other stock sizes and custom sizes available.	

Did you know? — In 2001, a major retail chain was fined \$1 million by the EPA for stormwater violations.